

The new heavy duty SSB fabric for Packaging Grades

primobond.HD




# PRIMOBOND.HD from Heimbach provides more Benefits without Compromise:

The ideal Forming Fabric would combine high Fibre Support Index (FSI) and maximum dewatering capacity with long life potential.

However, with traditional Forming Fabrics, increasing retention through a higher FSI would lead to a reduction in drainage capacity.

Likewise, increasing life potential through higher wear volume would lead normally to a decrease in FSI.



Now, with PRIMOBOND.HD, Retention, Dewatering and Life Potential can all be optimised without compromising each other – in the first and only 24 shed SSB Forming Fabric for Packaging Grades.

#### PRIMOBOND.HD:

#### The new Heavy Duty SSB Fabric for all Former Types

## Best Retention and Formation

Especially with waste furnish and short fibre length, PRIMOBOND.HD gives high Fibre Support providing better mechanical retention

- higher retention of fibre and fines
- less retention aid consumption and/or lower headbox solids

Leads to improved formation and improved mechanical sheet properties

### **2** Economic Life

24 harness construction allows6 shaft machine side weave

- longer float length
- high MD burial
- greater wear volume
  Superior fabric life potential

Optimal Water Removal

High Fibre Support Index with a balanced open paper side gives controlled dewatering

- elimination of sheet sealing
- high vacuum efficiency
- high off-couch dryness

Gives uniform and efficient water removal

#### Former Cleanliness

Super fine fabric surface

- balanced fibre support and open area
- high retention
- reduced fibre carrying

Cleaner fabric and forming section

#### 5 CMD Profiles

24 Harness construction with6-shaft machine side weave

- high dimensional stability
- reduced fabric deformation


Better CMD profiles

Unique paper-side construction


24 harness weaving gives greater flexibility in weave structures

plain weave paper side or
 3-shaft paper side +
 6-shaft machine side

PRIMOBOND.HD allows all the benefits of the PRIMOBOND Family to be applied to the production of Packaging Grades



Options include a plain weave paper side on a 3 shaft paper side






PRIMOBOND.HD with 2 shaft paper



PRIMOBOND.HD with 3 shaft paper side



MD frame length < 0.22 mm

**Heimbach GmbH & Co. KG ●** D-52348 Düren ● phone +49 (0) 24 21 802-0 ● fax +49 (0) 24 21 802-700 heimbach-paper@heimbach.com ● www.heimbach.com

**Heimbach Asia (Singapore) Pte. Ltd.** • 9 Temasek Boulevard • # 08 - 03 A Suntec Tower Two • Singapore 038989 heimbach-asia@heimbach.com

**Heimbach Ibérica S.A.** • Apartado 337 • E-09080 Burgos • heimbach-iberica@heimbach.com

**Heimbach Specialities AG •** Tülje 65 • B-4721 Neu-Moresnet • heimbach-specialities@heimbach.com

**Heimbach Switzerland AG •** Solothurner Str. 65 • Postfach 7 27 • CH-4603 Olten heimbach-switzlerland@heimbach.com

**Heimbach U.K.** • Bradnor Road • Manchester M22 4TS • UK • heimbach-uk@heimbach.com

